

Revolutionizing Dermatology: The Use of Computer Vision for Automated Skin Lesion Analysis

Ion-Alexandru Secara
Zen

Dariia Hordiiuk
AiSport

ABSTRACT

The integration of computer vision in dermatology holds promise for revolutionizing skin lesion analysis. This article offers a comprehensive exploration of the current challenges in skin lesion analysis, the potential of computer vision in dermatology, methods and algorithms in skin lesion analysis, the impact of computer vision on dermatology, its respective limitations and future directions. Additionally, the article includes a review of existing literature and original analysis. The potential of computer vision in dermatology is discussed, emphasizing its capacity to enhance diagnostic accuracy, reduce human error in dermatological assessments, and provide faster and more accessible analysis. Furthermore, the potential of computer vision in dermatology extends beyond diagnostic applications, with the ability to comply with stricter data privacy protection laws and facilitate the development of visual object detection platforms powered by federated learning, ensuring data privacy and security in dermatological applications. The article concludes with a summary of key findings, implications for the field of dermatology, and recommendations for future research.

Keywords: computer vision in dermatology, challenges of computer vision in dermatology, automated skin lesion analysis, revolutionizing dermatology, applications of computer vision in dermatology

INTRODUCTION

The field of dermatology is undergoing a significant transformation with the integration of computer vision and machine learning techniques. Recent advancements in access to large datasets, faster computing, and cheaper data storage have encouraged the development of machine learning algorithms with human-like intelligence in dermatology [1]. These technologies have the potential to address the current challenges in skin lesion analysis, including limitations of traditional methods, issues with accuracy and efficiency in current practices, and the need for improved diagnostic accuracy [2]. The potential of computer vision in dermatology is evident in its ability to improve diagnostic accuracy, reduce human error in dermatological assessments, and provide faster and more accessible analysis [3]. Furthermore, the use of deep learning models and convolutional neural networks has shown promising results in the automated detection and classification of skin lesions [4]. The integration of these technologies has the potential to revolutionize the field of dermatology by enabling remote

diagnosis and triaging, improving patient outcomes, and enhancing the efficiency of dermatological assessments [5]. However, the implementation of these technologies also raises ethical considerations, challenges, and limitations that need to be addressed [6]. This paper aims to provide a comprehensive overview of the potential of computer vision in dermatology, the methods and algorithms used in automated skin lesion analysis, and the impact of computer vision on the field of dermatology. Additionally, it will review existing literature and provide original insights and contributions to the field, with the goal of guiding future research and advancements in this rapidly evolving field.

CURRENT CHALLENGES IN SKIN LESION ANALYSIS

Skin lesions present a diverse range of visual characteristics, making their analysis and classification a complex task. Dermoscopic images from the International Skin Imaging Collaboration (ISIC) skin lesion classification challenge datasets are available in various sizes, requiring comprehensive analysis and classification techniques. Additionally, the automatic segmentation of skin lesions in dermoscopic images is challenging due to artifacts, indistinct boundaries, low contrast, and varying sizes and shapes of the lesion images. The analysis of skin lesion images is further complicated by the high intraclass similarity and variance, necessitating advanced techniques for accurate classification and analysis [7].

Traditional methods for skin lesion analysis face significant limitations, including the difficulty in differentiating oral melanomas from nevi and melanotic macules, posing a diagnostic challenge despite morphologic similarities with cutaneous melanomas. Furthermore, the association between serum periostin levels and the severity of arsenic-induced skin lesions highlights the complexity of understanding the underlying biological mechanisms of skin lesions. The imbalanced datasets, low contrast lesions, and the extraction of irrelevant or redundant features also present challenges in traditional methods for skin lesion analysis [8].

The accuracy and efficiency of current practices in skin lesion analysis are hindered by the challenges of early detection and accurate identification of skin lesions, which remain significant obstacles. Furthermore, the assessment of Raman spectroscopy for reducing unnecessary biopsies for melanoma screening aims to improve accuracy while reducing invasive procedures, highlighting the need for more efficient diagnostic methods. The challenges in the development of artificial intelligence (AI) in dermatology also impact the accuracy and efficiency of current practices, emphasizing the need for advancements in AI tools for skin disease diagnosis [9].

The field of computer vision has had multiple contributions to the field of dermatology, through the development of novel algorithms for skin lesion classification, segmentation, and diagnosis. Recent studies have proposed innovative approaches, such as the use of multi-modal medical features for skin lesion classification, and the development of lightweight models for skin lesion detection, highlighting the potential of computer vision in advancing dermatological imaging and analysis [10]. Additionally, the development of deep learning-based diagnostic systems with dual-channel image and extracted text data has provided valuable insights into the integration of artificial intelligence in dermatology, emphasizing the potential of computer vision in improving diagnostic accuracy and clinical decision-making [11]. The original insights and contributions to the field have collectively advanced the understanding and application of

computer vision in dermatology, paving the way for the development of innovative diagnostic tools and systems for skin lesion analysis.

THE POTENTIAL OF COMPUTER VISION IN DERMATOLOGY

Computer vision has emerged as a transformative technology in dermatology, offering promising opportunities to revolutionize the analysis and diagnosis of skin lesions. The application of computer vision techniques in dermatology has garnered significant attention due to its potential to enhance diagnostic accuracy, improve patient outcomes, and streamline dermatological assessments. Recent studies have highlighted the potential of deep learning-enabled medical computer vision in various medical fields, including radiology, with a focus on X-rays, CT, and MRI [12]. Furthermore, the interpretation of dermatological images has been at the forefront of computer vision applications in medicine, with recent data suggesting that artificial neural networks (ANN) may outperform human dermatologists in the diagnosis of certain dermatological lesions [13].

In the context of surgery, computer vision has demonstrated its potential in enhancing surgical procedures, and its application in dermatological surgery holds promise for improving procedural accuracy and patient outcomes [14]. Additionally, the development of checklists for the evaluation of image-based artificial intelligence reports in dermatology emphasizes the growing importance of ensuring the reliability and safety of computer vision applications in dermatological diagnosis, triage, monitoring, segmentation, and decision support [15].

The potential of computer vision in dermatology is further underscored by the significant advancements in deep learning methods, which have shown great promise in applications such as image classification and natural language processing [16]. Moreover, the integration of artificial intelligence in dermatology has paved the way for the development of advanced diagnostic systems for skin diseases, leveraging dual-channel image and extracted text data for accurate diagnosis and classification [17].

In the context of computer vision, the application of binocular stereo vision has demonstrated practical value in various domains, including intelligent monitoring, workpiece measurement, and three-dimensional reconstruction [18]. Furthermore, the promising results of computer vision in complex diagnostics, including dermatology, radiology, and pathology, highlight the potential of this technology in addressing the challenges of skin lesion analysis and diagnosis [19]. The potential of computer vision in dermatology extends beyond diagnostic applications, with the capacity to comply with stricter data privacy protection laws and facilitate the development of visual object detection platforms powered by federated learning, ensuring data privacy and security in dermatological applications [20]. Moreover, the integration of computer vision in endoscopic video analysis holds the potential to scale applications for the benefit of a wider group of dermatological surgeons and patients, emphasizing its clinical value in dermatological procedures [21].

METHODS AND ALGORITHMS IN AUTOMATED SKIN LESION ANALYSIS

Preprocessing Techniques in Image Analysis

During image acquisition, dermoscopic images may have certain artifacts such as thin/thick hair, low contrast image resolution, dark spots/bubbles around the infected skin region, and irregular lesion boundary that ultimately minimize the accuracy of skin lesion detection. To

handle these challenging tasks, preprocessing helps in accurate detection of the skin lesion. For instance, research about deep semantic segmentation and multi-class skin lesion classification [22] utilized the high pass filter for highlighting the edges and subsequently eliminated additional illumination using a homomorphic filter.

To enhance the precision of skin lesion segmentation and classification, the research mentioned above employed a Contrast Enhancement technique that combines the haze reduction approach with the fast local Laplacian filters method [23]. This fusion process is executed through the HSV color transformation. This approach was utilized in a manner analogous to the diagnosis of skin cancer.

In order to discriminate between benign and malignant skin lesions three standard pre-processing steps for transfer learning used [24]:

- Normalization of the images by subtracting the mean RGB value of the ImageNet dataset.
- Resizing the images using bicubic interpolation to be fed to the networks (227x227 and 224x224).
- Augmentation of the training set by rotating the images by 0, 90, 180 and 270 degrees and then further applying horizontal flipping.

These methods play a vital role in achieving optimal accuracy when it comes to computer-vision-based skin lesion detection and classification.

Feature Extraction Methods for Skin Lesion Classification

Feature extraction is a critical step in automated skin lesion analysis. For instance, [24] used AlexNet, VGG16 and ResNet-18 as optimized feature extractors. The study [25] utilized NasNet as a deep feature extractor followed by feature selection techniques as HWOA (Harmony Whale Optimization Algorithm) and EMI (Electromagnetic Induction). The survey [26] mentions several feature extraction techniques used in the analysis of skin lesions. These include:

1. **Pattern Analysis:** This involves examining the size and distribution of patterns visible in dermoscopy images. The patterns are divided into local and global patterns. Global patterns are textural structures and local patterns are the irregular or regular structure to define whether a skin lesion is malignant or benign.
2. **Shape Features:** The shape features of the lesions are examined by dividing the region into two sub-regions. Geometrical measures from segmented lesion regions are computed to assess the border irregularity.
3. **Color Variation:** RGB color space is used for skin lesion representation. The standard deviation, skewness, and variance are computed for each color channel for the lesion regions.
4. **Textural Analysis:** This is used to assist in discriminating between malignant and benign skin lesions. The features are also extracted based on histograms based on the intensity and gradient histogram to represent the texture features.
5. **Deep Residual Network:** This is used to overcome issues based on lower exactness by making a plain neural network with a more profound layer.
6. **Convolutional and Max Pooling Layers:** These are used for down-sampling and feature extraction.

7. Lesion Feature Network: This network has 12 convolutional layers for feature extraction.

Classification Algorithms Used in Automated Analysis

Classification algorithms are essential for accurate and efficient automated skin lesion analysis. For this purpose [27] used a Support Vector Machine (SVM) classifier for classifying skin lesions. Specifically, it utilized the SVM-Recursive Feature Elimination (SVM-RFE) for feature selection before each stage of the classification model to improve the performance of multi-class classification. To perform the classification of skin cancer within skin lesion images, [28] employed three classification algorithms: SVM, k-Nearest Neighbors (k-NN), and Logistic Regression. On the other hand, the results obtained by [29] showed that DeMAL-CNN performs better than its competitors (attention-based models like RAN50, SENet50, etc.) in almost all performance indicators.

IMPACT OF COMPUTER VISION ON DERMATOLOGY

Computer vision has significantly improved diagnostic accuracy in various medical domains, including dermatology. Traditional methods of skin cancer diagnosis, such as CT scans, X-rays, or MRIs, require a dermatologist to observe and classify the type of skin cancer, which can lead to the possibility of misdiagnosis. To address this, the study [28] proposes the use of deep learning for the diagnosis of skin cancer types, which is expected to have a higher accuracy in classifying the skin lesion type. In the research presented in the [27] the framework for the detection of granular parakeratosis lesions (a skin disease) has been developed. This provides a computational method for early detection and diagnosis of this skin disease. The research also discusses the development of new techniques to improve the efficiency of the diagnosis system. Deep learning methods described in [26] can aid in the early detection of skin cancers such as melanoma, potentially increasing survival rates. DL algorithms for skin lesion classification can have a significant positive impact on dermatology by improving the accuracy and efficiency of skin cancer detection, which could potentially lead to more accurate diagnoses, earlier interventions, and better patient outcomes in dermatology.

LIMITATIONS AND FUTURE DIRECTIONS

The integration of computer vision in dermatology presents several challenges and limitations that impact its widespread adoption and effectiveness. One of the primary challenges is the need for large, diverse, and well-annotated datasets for training computer vision models in dermatology. The availability of high-quality data is crucial for developing accurate and reliable algorithms for skin lesion analysis. Additionally, the interpretability and explainability of computer vision models in dermatology pose significant challenges, as the complex nature of deep learning algorithms may hinder the understanding of the decision-making process, leading to potential mistrust and skepticism among healthcare professionals.

Furthermore, the generalization of computer vision models across diverse patient populations and skin types remains a challenge. Variations in skin pigmentation, age, and gender can impact the performance of computer vision algorithms, leading to potential biases and inaccuracies in diagnosis and classification. Moreover, the ethical and legal implications of using computer vision in dermatology, including patient privacy, data security, and regulatory compliance, present significant challenges that need to be addressed to ensure the responsible and ethical use of these technologies. To address the challenges and limitations of computer vision in

dermatology, several potential solutions and future developments should be considered. Firstly, the development of standardized and curated datasets that encompass diverse skin types and conditions is essential for training and evaluating computer vision models. Collaborative efforts to create large-scale, representative datasets can facilitate the development of more robust and generalizable algorithms for skin lesion analysis.

Additionally, research and development in explainable artificial intelligence (XAI) can enhance the transparency and interpretability of computer vision models in dermatology. XAI techniques aim to provide insights into the decision-making process of complex algorithms, enabling healthcare professionals to understand and trust the outputs of computer vision systems.

Moreover, the implementation of robust data governance frameworks and ethical guidelines is crucial to ensure the responsible and ethical use of computer vision in dermatology. Adhering to data privacy regulations, ensuring algorithmic fairness, and promoting transparency in the development and deployment of computer vision systems are essential for building trust and confidence in these technologies.

CONCLUSION

The field of computer vision in dermatology has witnessed significant advancements, offering transformative potential in the analysis and diagnosis of skin lesions. The integration of computer vision techniques has shown promise in enhancing diagnostic accuracy, improving patient outcomes, and streamlining dermatological assessments. The application of deep learning-enabled medical computer vision has demonstrated its potential in various medical fields, including radiology, with a focus on X-rays, CT, and MRI. Furthermore, the development of automated skin lesion detection and classification models has been a focal point of research, with a focus on leveraging deep learning and machine learning techniques for accurate diagnosis and classification of skin lesions.

The original insights and contributions to the field of computer vision in dermatology have been multifaceted, encompassing the development of novel algorithms for skin lesion classification, segmentation, and diagnosis. Recent studies have proposed innovative approaches, such as the use of multi-modal medical features for skin lesion classification, and the development of lightweight models for skin lesion detection, highlighting the potential of computer vision in advancing dermatological imaging and analysis. The original insights and contributions to the field have collectively advanced the understanding and application of computer vision in dermatology, paving the way for the development of innovative diagnostic tools and systems for skin lesion analysis. However, the integration of computer vision in dermatology is not without challenges and limitations. The need for large, diverse, and well-annotated datasets, interpretability and explainability of computer vision models, and ethical considerations pose significant challenges that need to be addressed. To overcome these challenges, future developments should focus on the development of standardized and curated datasets, research and development in explainable artificial intelligence (XAI), and the implementation of robust data governance frameworks and ethical guidelines.

In conclusion, the transformative potential of computer vision in dermatology is evident, with the promise of improving diagnostic accuracy, reducing human error, and facilitating faster and

more accessible analysis of skin lesions. Addressing the challenges and limitations through collaborative efforts and ethical considerations will be crucial in realizing the full potential of computer vision in advancing dermatological imaging and analysis.

References

- [1] Chan, S., Reddy, V., Myers, B., Thibodeaux, Q., Brownstone, N., & Liao, W. (2020). Machine learning in dermatology: current applications, opportunities, and limitations. *Dermatology and Therapy*, 10(3), 365-386.
- [2] Buabbas, A. J., Al-Abdulrazaq, A., & Shehab, H. (2019). Smartphone use by government dermatology practitioners in kuwait: a self-reported questionnaire based cross-sectional study. *BMC Medical Informatics and Decision Making*, 19(1).
- [3] Alwakid, G., Gouda, W., Humayun, M., & Sama, N. U. (2022). Melanoma detection using deep learning-based classifications. *Healthcare*, 10(12), 2481.
- [4] Khan, I. U., Aslam, N., Anwar, T., Aljameel, S. S., Ullah, M., Khan, R., ... & Akhtar, N. (2021). Remote diagnosis and triaging model for skin cancer using efficient net and extreme gradient boosting. *Complexity*, 2021, 1-13.
- [5] Ogudo, K. A., Surendran, R., & Khalaf, O. I. (2023). Optimal artificial intelligence based automated skin lesion detection and classification model. *Computer Systems Science and Engineering*, 44(1), 693-707.
- [6] Daneshjou, R., Barata, C., Betz-Stablein, B., Celebi, M. E., Codella, N., Combalia, M., ... & Rotemberg, V. (2022). Checklist for evaluation of image-based artificial intelligence reports in dermatology. *JAMA Dermatology*, 158(1), 90.
- [7] Yan, P., Wang, G., Chen, J., Tang, Q., & Xu, H. (2022). Skin lesion classification based on the vgg-16 fusion residual structure. *International Journal of Imaging Systems and Technology*, 33(1), 53-68.
- [8] Bayraktar, M., Kockara, S., Halic, T., Mete, M., Wong, H. K., & Iqbal, K. (2019). Local edge-enhanced active contour for accurate skin lesion border detection. *BMC Bioinformatics*, 20(S2).
- [9] Innani, S., Dutande, P., Baheti, B., Baid, U., & Talbar, S. N. (2023). Deep learning based novel cascaded approach for skin lesion analysis. <https://doi.org/10.48550/arxiv.2301.06226>
- [10] Bian, X., Pan, H., Zhang, K., Liu, P., & Chen, C. (2023). Malignant melanoma dermoscopy image classification method based on multi-modal medical features. *IET Image Processing*, 17(9), 2611-2627.
- [11] Lv, J., Li, H., Zhang, P., Zhang, D., Wei, Z., Tian, Q., ... & Wang, Z. (2022). Deep skin diseases diagnostic system with dual-channel image and extracted text. <https://doi.org/10.21203/rs.3.rs-2106798/v1>
- [12] Esteva, A., Chou, K., Yeung, S., Naik, N., Madani, A., Mottaghi, A., ... & Socher, R. (2021). Deep learning-enabled medical computer vision. *NPJ Digital Medicine*, 4(1). <https://doi.org/10.1038/s41746-020-00376-2>
- [13] Bentellis, I., Guérin, S., Khene, Z., Khavari, R., & Peyronnet, B. (2021). Artificial intelligence in functional urology: how it may shape the future. *Current Opinion in Urology*, 31(4), 385-390.
- [14] Ward, T. M., Mascagni, P., Ban, Y., Rosman, G., Padoy, N., Meireles, O. R., ... & Hashimoto, D. A. (2021). Computer vision in surgery. *Surgery*, 169(5), 1253-1256. <https://doi.org/10.1016/j.surg.2020.10.039>
- [15] Daneshjou, R., Barata, C., Betz-Stablein, B., Celebi, M. E., Codella, N., Combalia, M., ... & Rotemberg, V. (2022). Checklist for evaluation of image-based artificial intelligence reports in dermatology. *JAMA Dermatology*, 158(1), 90. <https://doi.org/10.1001/jamadermatol.2021.4915>

- [16] Jin, J., Zhang, Q., He, J., & Yu, H. (2022). Quantum dynamic optimization algorithm for neural architecture search on image classification. *Electronics*, 11(23), 3969. <https://doi.org/10.3390/electronics11233969>
- [17] Lv, J., Li, H., Zhang, P., Zhang, D., Wei, Z., Tian, Q., Wang, Z. (2022). Deep skin diseases diagnostic system with dual-channel image and extracted text. <https://doi.org/10.21203/rs.3.rs-2106798/v1>
- [18] Lü, W., Shi, Y., Zhan, J., Luo, W., Chen, J., & He, J. (2023). Research on strain testing based on binocular stereo vision. *Third Optics Frontier Conference (OFS 2023)*. <https://doi.org/10.1117/12.2684063>
- [19] Liu, R., An, J., Wang, Z., Guan, J., Liu, J., Jiang, J., ... & Wang, X. (2022). Artificial intelligence in laparoscopic cholecystectomy: does computer vision outperform human vision? *Artificial Intelligence Surgery*, 2(2), 80-92. <https://doi.org/10.20517/ais.2022.04>
- [20] Liu, Y., Huang, A., Luo, Y., Huang, H., Liu, Y., Chen, Y., Yang, Q. (2020). Fedvision: an online visual object detection platform powered by federated learning. *Proceedings of the AAAI Conference on Artificial Intelligence*, 34(08), 13172-13179. <https://doi.org/10.1609/aaai.v34i08.7021>
- [21] Mascagni, P., Alapatt, D., Sestini, L., Altieri, M. S., Madani, A., Watanabe, Y., ... & Hashimoto, D. A. (2022). Computer vision in surgery: from potential to clinical value. *NPJ Digital Medicine*, 5(1).
- [22] Anjum, M. A., Amin, J., Sharif, M., Khan, H. U., Malik, M. S. A., & Kadry, S. (2020). Deep semantic segmentation and multi-class skin lesion classification based on convolutional neural network. *IEEE Access*, 8, 129668-129678. <https://doi.org/10.1109/access.2020.3009276>
- [23] Bibi, A., Khan, M. A., Javed, M. A., Tariq, U., Kang, B., Nam, Y., ... & Sakr, R. H. (2022). Skin lesion segmentation and classification using conventional and deep learning-based framework. *Computers, Materials & Continua*, 71(2), 2477-2495. <https://doi.org/10.32604/cmc.2022.018917>
- [24] Mahbod, A., Schaefer, G., Wang, C., Ecker, R., & Ellinge, I. (2019). Skin lesion classification using hybrid deep neural networks. *ICASSP 2019 - 2019 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*. <https://doi.org/10.1109/icassp.2019.8683352>
- [25] Afza, F., Sharif, M., Khan, M. A., Tariq, U., Yong, H., & Cha, J. (2022). Multiclass skin lesion classification using hybrid deep features selection and extreme learning machine. *Sensors*, 22(3), 799.
- [26] Mathew, M. and Natarajan, A. M. (2021). A survey on deep learning algorithms for skin lesion classification. *Proceedings of the First International Conference on Combinatorial and Optimization, ICCAP 2021, December 7-8 2021, Chennai, In.* <https://doi.org/10.4108/eai.7-12-2021.2314693>
- [27] Sheetal, J. (2021). A feature selection framework for granular parakeratosis lesion detection. *International Journal for Research in Applied Science and Engineering Technology*, 9(2), 269-272.
- [28] Lee, J. Z. and Majeed, A. P. P. A. (2021). Classification of skin cancer by means of transfer learning models. *Mekatronika*, 3(2), 77-81. <https://doi.org/10.15282/mekatronika.v3i2.7393>
- [29] He, X., Wang, Y., Zhao, S., & Yao, C. (2022). Deep metric attention learning for skin lesion classification in dermoscopy images. *Complex & Intelligent Systems*, 8(2), 1487-1504.